

## I. PRODUCT DESCRIPTION

This artisan powder is powerful, versatile, and made from scratch.

### GRADE

<https://leherbe.com/grading-system/nanoemulsion>

<b>Product ID</b>	H1011
<b>Name</b>	CBDV, ASD, NE, WS, FA
<b>Application</b>	Flavor / Flavour
<b>Industry</b>	Hemp
<b>Lot / Batch</b>	B24-0525-A
<b>Grade *</b>	99
<b>Sample ID</b>	S24-0525-1
<b>Sample Size</b>	3.35g

## II. FEATURES & BENEFITS

This food science innovation offers numerous advantages for consumer packaged goods (CPG).

### FUN FACT

Le Herbe pioneered modern cannabis beverages with fast-acting effects in 2015. Le Herbe created THC powder in 2018 because they wanted to extend the shelf-life of cannabis beverages, reduce storage requirements and transportation costs, and offer better formulations with less ingredients.

- No Alcohol
- No Dairy
- No Soy
- No Gluten
- No GMO
- No Added Sugar
- No Vitamin E Acetate
- No Vegetable Glycerin
- No Propylene Glycol
- No Artificial Preservatives
- No Artificial Sweeteners
- No Artificial Flavor
- No Artificial Color
- Safe & Effective
- Artisan Powder
- Water-Soluble (WS)
- Fast-Acting (FA)
- World's Most Bioavailable
- Nanoemulsion (NE)
- Lab Tested
- Psychoactive
- Shelf-Stable: 3 Years
- All-Natural
- Vegan-Friendly
- Sun Grown Hemp
- Food Science Innovation

## III. NUTRITIONAL DATA

Consumers can enjoy low calories, no-added sugar and all-natural ingredients. We care about what you put in your body and we're proud to offer you a healthy nutritional label.

### INGREDIENTS

Maltodextrin, Hemp Extract, Natural Flavors, Sea Salt, Citric Acid

### ALLERGIES

This product, its raw materials and the processing line on which it was produced do not contain allergens, which include: milk, eggs, fish, crustacean shellfish, tree nuts, wheat, peanuts, soybeans, and sesame.

	Typical	Batch
<b>Energy, kcal</b>	1.00	NA
<b>Total Fat, g</b>	0.00	NA
<b>Saturated Fat, g</b>	0.00	NA
<b>Trans Fat, g</b>	0.00	NA
<b>Sodium, mg</b>	25.00	NA
<b>Total Carbohydrate, g</b>	2.00	NA
<b>Dietary Fiber, g</b>	0.00	NA
<b>Total Sugars, g</b>	1.00	NA
<b>Added Sugars, g</b>	0.00	NA
<b>Protein, g</b>	0.00	NA
<b>Calcium, mg</b>	0.00	NA
<b>Iron, mg</b>	0.00	NA
<b>Magnesium, mg</b>	0.00	NA
<b>Potassium, mg</b>	0.00	NA
<b>Vitamin C, mg</b>	0.00	NA
<b>Vitamin D, mcg</b>	0.00	NA
<b>Hemp Extract, mg</b>	100.00	NA

## IV. PHYSICOCHEMICAL - liquid

The physical and chemical attributes of our nanoemulsion. We may convert a liquid nanoemulsion to powder in specific applications.

### FUN FACT

Le Herbe makes very small particles to increase bioavailability and optimize performance like fast-acting effects. Each serving contains over one million particles.

### ANALYSIS

MADLS, DLS, INFOGEST, Meter(s), Sensory

## V. PHYSICOCHEMICAL - powder

The physical and chemical attributes of our microparticle. This particle encapsulates a powerful nanoemulsion and is non-crystalline. We may mix amorphous and crystalline particles in specific applications.

### PERFORMANCE

Complete dispersion or dissolution of our powder should be accomplished within a few seconds in warm water and in about 30–60 seconds in cold water. The powder sinks to the bottom of a container, does not float on top of water, and does not require physical mixing if time is not a factor.

### FUN FACT

Le Herbe's powder protects cannabinoids like THC from degradation. It has a wall material or particle shell that blocks light, heat, humidity and prevents oxidation. This wall material is made from corn and is called maltodextrin.

### ANALYSIS

LD, Meter(s), Sensory

<b>Manufacturing</b>	High Pressure Homogenization
<b>EE, %</b>	90–95
<b>Particle</b>	Nanoemulsion (NE)
<b>PSD, nm</b>	20–100
<b>D10 *</b>	NA
<b>D50 *</b>	NA
<b>D90 *</b>	NA
<b>PDI</b>	0.1–0.2
<b>Appearance</b>	Liquid
<b>Clarity</b>	Translucent
<b>Color</b>	White to off white
<b>Taste</b>	No detectable flavor
<b>Smell</b>	No detectable flavor
<b>pH</b>	NA
<b>Zeta Potential, mV</b>	± 30–50
<b>Bioavailability Potential, %</b>	65–85
<b>Onset Effect, min</b>	5–15
<b>Offset Effect, hrs</b>	1–2

\* Available upon request

<b>Manufacturing</b>	Spray Drying
<b>Yield, %</b>	85–95
<b>Particle</b>	Microparticle (ASD)
<b>PSD, µm</b>	50–500
<b>X10 *</b>	NA
<b>X50 *</b>	NA
<b>X90 *</b>	NA
<b>Appearance</b>	Powder
<b>Clarity</b>	Opaque
<b>Color</b>	White to off white
<b>Taste</b>	NA
<b>Smell</b>	No detectable odor
<b>pH</b>	3.50–4.50
<b>Moisture, %</b>	< 2.0
<b>Water Activity, aw</b>	< 0.2

\* Available upon request

## VI. CANNABINOID DATA

QC tests performed on raw and processed materials.

### ANALYSIS

HPLC-DAD

### LEGAL

Le Herbe is withholding the exact percentage of cannabinoids as a trade secret.

	LOD / LOQ	mg/g	%
<b>CBC</b>	0.000018 / 0.001	*	*
<b>CBCa</b>	0.00001 / 0.001	*	*
<b>CBD</b>	0.000054 / 0.001	*	*
<b>CBDa</b>	0.00001 / 0.001	*	*
<b>CBDV</b>	0.000065 / 0.001	30	< 0.3
<b>CBDVa</b>	0.00001 / 0.001	*	*
<b>CBG</b>	0.000248 / 0.001	*	*
<b>CBGa</b>	0.00008 / 0.001	*	*
<b>CBL</b>	0.00001 / 0.001	*	*
<b>CBN</b>	0.000014 / 0.001	*	*
<b>Δ-8 THC</b>	0.000026 / 0.001	*	*
<b>Δ-9 THC</b>	0.000013 / 0.001	*	*
<b>Δ-10 THC</b>	0.000003 / 0.001	*	*
<b>THCa</b>	0.000032 / 0.001	*	*
<b>THCV</b>	0.000007 / 0.001	*	*
<b>THCVa</b>	0.00001 / 0.001	*	*

**TOTAL CANNABINOIDS**

**NA**

**NA**

*\* Trade Secret*

## VII. FLAVONOID DATA

QC tests performed on raw and processed materials.

### ANALYSIS

LC-MS

### LEGAL

Le Herbe is withholding the exact percentage of flavonoids as a trade secret.

	LOQ	µg/g	%
<b>Apigenin</b>	4	*	*
<b>Baicalin</b>	8	*	*
<b>Beta Sitosterol</b>	5	*	*
<b>Cannflavin a</b>	3.91	*	*
<b>Cannflavin b</b>	4.84	*	*
<b>Cannflavin c</b>	2.36	*	*
<b>Chrysin</b>	2.5	*	*
<b>Fisetin</b>	5	*	*
<b>Kaempferol</b>	1	*	*
<b>Luteolin</b>	2.5	*	*
<b>Orientin</b>	5	*	*
<b>Quercetin</b>	11.56	*	*
<b>Pelargonidin</b>	2.23	*	*
<b>Rutin</b>	7.81	*	*
<b>Vitexin</b>	4	*	*
<b>Wogonin</b>	0.5	*	*

**TOTAL FLAVONOIDS**

**NA**

**NA**

*\* Trade Secret*

## VIII. TERPENOID DATA

QC tests performed on raw and processed materials.

### ANALYSIS

GC, GC-MS

### LEGAL

Le Herbe is withholding the exact percentage of terpenoids as a trade secret.

	LOD / LOQ	mg/g	%
<b>α-Bisabolol</b>	0.008 / 0.026	*	*
<b>Borneol</b>	0.005 / 0.016	*	*
<b>Camphene</b>	0.005 / 0.015	*	*
<b>Camphor</b>	0.006 / 0.019	*	*
<b>β-Caryophyllene</b>	0.004 / 0.012	*	*
<b>Caryophyllene Oxide</b>	0.010 / 0.033	*	*
<b>α-Cedrene</b>	0.005 / 0.016	*	*
<b>Cedrol</b>	0.008 / 0.027	*	*
<b>Citronellol</b>	0.003 / 0.010	*	*
<b>p-Cymene</b>	0.003 / 0.010	*	*
<b>Eucalyptol</b>	0.006 / 0.018	*	*
<b>Fenchol</b>	0.010 / 0.034	*	*
<b>Fenchone</b>	0.009 / 0.028	*	*
<b>Geraniol</b>	0.002 / 0.007	*	*
<b>Geranyl Acetate</b>	0.004 / 0.014	*	*
<b>Guaiol</b>	0.009 / 0.030	*	*
<b>α-Humulene</b>	0.009 / 0.029	*	*
<b>Isoborneol</b>	0.004 / 0.012	*	*
<b>Isopulegol</b>	0.005 / 0.016	*	*
<b>Limonene</b>	0.005 / 0.016	*	*
<b>Linalool</b>	0.009 / 0.032	*	*
<b>Myrcene</b>	0.008 / 0.025	*	*
<b>Nerol</b>	0.003 / 0.011	*	*
<b>Nerolidol</b>	0.009 / 0.019	*	*
<b>β-Ocimene</b>	0.006 / 0.020	*	*
<b>α-Phellandrene</b>	0.006 / 0.020	*	*
<b>α-Pinene</b>	0.005 / 0.017	*	*
<b>β-Pinene</b>	0.004 / 0.014	*	*
<b>Sabinene</b>	0.004 / 0.014	*	*
<b>Sabinene Hydrate</b>	0.006 / 0.022	*	*
<b>α-Terpineol</b>	0.016 / 0.055	*	*
<b>α-Terpinene</b>	0.005 / 0.017	*	*
<b>γ-Terpinene</b>	0.006 / 0.018	*	*
<b>Terpinolene</b>	0.008 / 0.026	*	*
<b>Valencene</b>	0.009 / 0.030	*	*
<b>TOTAL TERPENOIDS</b>		<b>NA</b>	<b>NA</b>

\* Trade Secret

## IX. PESTICIDE DATA

QC tests performed on raw and processed materials.

### ANALYSIS

GC-MS

	LOD / LOQ	Action Level	Result
Avamectin B1a	0.03 / 0.10	0.1	ND
Avamectin B1b	0.03 / 0.10	0.1	ND
Acephate	0.02 / 0.07	0.1	ND
Acequinocyl	0.02 / 0.07	0.1	ND
Acetamiprid	0.02 / 0.05	0.1	ND
Aldicarb	0.03 / 0.08	> LOD	ND
Azoxystrobin	0.02 / 0.07	0.1	ND
Bifenazate	0.01 / 0.04	0.1	ND
Bifenthrin	0.02 / 0.05	0.1	ND
Boscalid	0.03 / 0.09	0.1	ND
Captan	0.19 / 0.57	0.7	ND
Carbaryl	0.02 / 0.06	0.5	ND
Carbofuran	0.02 / 0.05	> LOD	ND
Chlorantraniliprole	0.04 / 0.12	10	ND
Chlordane	0.03 / 0.08	> LOD	ND
Chlorfenapyr	0.03 / 0.10	> LOD	ND
Chlorpyrifos	0.03 / 0.07	> LOD	ND
Clofentezine	0.03 / 0.09	0.1	ND
Coumaphos	0.02 / 0.07	> LOD	ND
Cyfluhtrin	0.12 / 0.38	1	ND
Cypermethrin	0.11 / 0.32	1	ND
Daminozide	0.02 / 0.07	> LOD	ND
Diazinon	0.02 / 0.05	0.2	ND
Dichlorvos (DDVP)	0.03 / 0.09	> LOD	ND
Dimethoate	0.03 / 0.08	> LOD	ND
Dimethomorph	0.03 / 0.09	20	ND
Ethoprophos (Ethoprop)	0.03 / 0.10	> LOD	ND
Etofenprox	0.02 / 0.06	> LOD	ND
Etoxazole	0.02 / 0.06	0.1	ND
Fenhexamid	0.03 / 0.09	0.1	ND
Fenoxycarb	0.03 / 0.08	> LOD	ND
Fenpyroximate	0.02 / 0.06	0.1	ND
Fipronil	0.03 / 0.08	> LOD	ND
Flonicamid	0.03 / 0.10	0.1	ND
Fludioxonil	0.03 / 0.10	0.1	ND
Hexythiazox	0.02 / 0.07	0.1	ND
Imazalil	0.02 / 0.06	> LOD	ND
Imidacloprid	0.04 / 0.11	3	ND

\* µg/g

## IX. PESTICIDE DATA - continued

QC tests performed on raw and processed materials.

### ANALYSIS

GC-MS

	LOD / LOQ	Action Level	Result
Kresoxim-methyl	0.02 / 0.07	0.1	ND
Malathion	0.03 / 0.09	0.5	ND
Metalaxyl	0.02 / 0.07	0.1	ND
Methiocarb	0.02 / 0.07	> LOD	ND
Methomyl	0.03 / 0.10	1	ND
Methyl parathion	0.02 / 0.07	> LOD	ND
Mevinphos	0.03 / 0.09	> LOD	ND
MGK-264	0.03 / 0.09	0.2	ND
Myclobutanil	0.03 / 0.09	0.1	ND
Naled	0.02 / 0.07	0.1	ND
Oxamyl	0.04 / 0.11	0.5	ND
Paclobutrazol	0.02 / 0.05	> LOD	ND
Parathion-methyl	0.03 / 0.20	> LOD	ND
Pentachloronitrobenzene	0.03 / 0.09	0.1	ND
Permethrin	0.04 / 0.12	0.5	ND
Phosmet	0.03 / 0.10	0.1	ND
Piperonyl Butoxide	0.02 / 0.07	3	ND
Prallethrin	0.03 / 0.08	0.1	ND
Propiconazole	0.02 / 0.07	0.1	ND
Propoxur	0.03 / 0.09	> LOD	ND
Pyrethrin I	0.04 / 0.12	0.5	ND
Pyrethrin II	0.04 / 0.12	0.5	ND
Pyridaben	0.02 / 0.07	0.1	ND
Spinetoram J	0.02 / 0.07	0.1	ND
Spinetoram L	0.02 / 0.07	0.1	ND
Spinosin A	0.02 / 0.07	0.1	ND
Spinosin D	0.02 / 0.07	0.1	ND
Spiromesifen	0.02 / 0.05	0.1	ND
Spirotetramat	0.02 / 0.06	0.1	ND
Spiroxamine	0.03 / 0.08	> LOD	ND
Tebuconazole	0.02 / 0.07	0.1	ND
Thiacloprid	0.03 / 0.10	> LOD	ND
Thiamethoxam	0.03 / 0.10	5	ND
Trifloxystrobin	0.03 / 0.08	0.1	ND

\* µg/g

## X. RESIDUAL SOLVENTS

QC tests performed on raw and processed materials.

### ANALYSIS

GC-MS

	LOQ	Action Level	Result
1,1-Dichloroethane	0.16	8	ND
1,2-Dichloroethane	0.04	5	ND
Acetone	2.08	5000	ND
Acetonitrile	1.17	410	ND
Benzene	0.02	2	ND
n-Butane	2.5	2000	ND
Chloroform	0.04	60	ND
Ethanol	2.78	5000	ND
Ethyl Acetate	1.11	5000	ND
Ethyl Ether	1.39	5000	ND
Ethylene Oxide	0.1	5	ND
n-Heptane	1.39	5000	ND
n-Hexane	1.17	290	ND
Isopropyl alcohol	1.39	500	ND
Methanol	0.69	3000	ND
Methylene Chloride	2.43	600	ND
n-Pentane	2.08	5000	ND
Propane	5.83	2100	ND
Toluene	2.92	890	ND
Total Xylenes	2.92	2170	ND
Trichloroethylene	0.49	80	ND

\*  $\mu\text{g/g}$

## XI. MICROBIOLOGY

QC tests performed on raw and processed materials.

### ANALYSIS

qPCR

	Action Level	Result
Candida albicans		Absent
Escherichia coli		Absent
Listeria monocytogenes	1	Absent
Salmonella		Absent
Staphylococcus aureus		Absent
Pseudomonas aeruginosa		Absent
Total Aerobic Microbial Count	10	ND
Total Combined Molds & Yeasts Count	10	ND

\*  $\text{cfu/g}$

## XII. HEAVY METALS

QC tests performed on raw and processed materials.

### ANALYSIS

ICP-MS

	LOD / LOQ	Action Level	Result
<b>Arsenic</b>	0.02 / 0.10	0.2	ND
<b>Cadmium</b>	0.02 / 0.05	0.2	ND
<b>Lead</b>	0.04 / 0.10	0.5	ND
<b>Mercury</b>	0.002 / 0.01	0.1	ND

\*  $\mu\text{g/g}$

## XIII. MYCOTOXINS

Natural compounds produced by mold or fungi. QC tests performed on raw and processed materials.

### ANALYSIS

LC-MS

	LOD / LOQ	Action Level	Result
<b>Aflatoxin B1</b>	0.002 / 0.006	0.02	ND
<b>Aflatoxin B2</b>	0.0018 / 0.0056	0.02	ND
<b>Aflatoxin G1</b>	0.001 / 0.0031	0.02	ND
<b>Aflatoxin G2</b>	0.0012 / 0.0035	0.02	ND
<b>Ochratoxin A</b>	0.0063 / 0.0192	0.02	ND

\*  $\mu\text{g/g}$

## XIV. ENDOTOXINS

Natural compounds found in the outer cell membrane of Gram-negative bacteria. QC tests performed on raw and processed materials.

### ANALYSIS

LAL

	LOD / LOQ	Action Level	Result
<b>Endotoxins</b>	0.02 / 0.1	0.3	ND

\*  $\mu\text{g/g}$



<b>ASD</b>	Amorphous Solid Dispersion	<b>amp</b>	ampere
<b>API</b>	Active Pharmaceutical Ingredient	<b>aw</b>	area ratio
<b>CoA</b>	Certificate of Analysis	<b>bar</b>	metric unit of pressure
<b>cGMP</b>	Current Good Manufacturing Practice	<b>cfu</b>	colony forming unit
<b>DLS</b>	Dynamic Light Scattering	<b>cm</b>	centimeter
<b>EELS</b>	Electrophoretic Light Scattering	<b>Dv</b>	volume distribution
<b>FFA</b>	Free Fatty Acids	<b>Dn</b>	number distribution
<b>GC</b>	Gas Chromatography	<b>g</b>	gram
<b>GC-FID</b>	Gas Chromatography-Flame Ionization Detection	<b>hp</b>	horsepower
<b>GC-MS</b>	Gas Chromatography-Mass Spectrometry	<b>Hz</b>	hertz
<b>GIT</b>	Gastrointestinal Tract	<b>in</b>	inch
<b>HPLC</b>	High-Performance Liquid Chromatography	<b>Kg</b>	kilogram
<b>HPLC-DAD</b>	High-Performance Liquid Chromatography with Diode-Array Detection	<b>kW</b>	kilowatt
<b>HPLC-MS</b>	High-Performance Liquid Chromatography-Mass Spectrometry	<b>L</b>	liter
<b>ICP</b>	Inductively Coupled Plasma	<b>lb</b>	pound
<b>ICP-MS</b>	Inductively Coupled Plasma-Mass Spectrometry	<b>min</b>	minute
<b>LAL</b>	Limulus Amebocyte Lysate	<b>mL</b>	milliliter
<b>LC-MS</b>	Liquid Chromatography-Mass Spectrometry	<b>mV</b>	millivolt
<b>LCT</b>	Long-Chain Triglyceride	<b>nm</b>	nanometer
<b>LD</b>	Laser Diffraction	<b>ppm</b>	parts per million
<b>LOD</b>	Limit of Detection	<b>ppb</b>	parts per billion
<b>LOQ</b>	Limit of Quantification	<b>psi</b>	pound-force per square inch
<b>MADLS</b>	Multi-Angle Dynamic Light Scattering	<b>sec</b>	second
<b>MCT</b>	Medium-Chain Triglyceride	<b>µg</b>	microgram
<b>MS</b>	Multiple Scattering	<b>µL</b>	microliter
<b>NA</b>	Not Available or Applicable	<b>µm</b>	micrometer or micron
<b>ND</b>	Not Detectable	<b>V</b>	volt
<b>NT</b>	Not Tested	<b>ζ</b>	zeta-potential
<b>NIBS</b>	Non-Invasive Back Scattering	<b>cfu/g</b>	colony forming unit per gram
<b>OBS</b>	Obscuration	<b>g/mL</b>	grams per milliliter
<b>PCR</b>	Polymerase Chain Reaction	<b>kg/hr</b>	kilograms per hour
<b>PDI</b>	Polydispersity Index	<b>mg/mL</b>	milligrams per milliliter
<b>PK</b>	Pharmacokinetic	<b>mg/Kg</b>	milligram per kilogram
<b>PPB</b>	Parts-Per-Billion	<b>mL/min</b>	milliliter per minute
<b>PPM</b>	Parts-Per-Million	<b>o/w</b>	oil-in-water
<b>PSD</b>	Particle Size Distribution	<b>o/w/o</b>	oil-in-water-in-oil
<b>QC</b>	Quality Control	<b>r/s</b>	rotor-stator
<b>qPCR</b>	Quantitative Polymerase Chain Reaction (Real-Time)	<b>µg/g</b>	microgram per gram
<b>RPM</b>	Revolutions Per Minute	<b>U/mL</b>	units per milliliter
<b>SC-CO<sub>2</sub></b>	Supercritical Carbon Dioxide Extract	<b>v/v</b>	volume per volume
<b>SEM</b>	Scanning Electron Microscopy	<b>w/o</b>	water-in-oil
<b>SGF</b>	Simulated Gastric Fluid	<b>w/o/w</b>	water-in-oil-in-water
<b>SIF</b>	Simulated Intestinal Fluid	<b>w/v</b>	weight per volume
<b>SOP</b>	Standard Operating Procedures	<b>w/w</b>	weight per weight
<b>SOR</b>	Surfactant-to-Oil Ratio		
<b>SSF</b>	Simulated Saliva Fluid		

## TECHNICAL INFORMATION

The technical information, guidance, and other statements contained in this document or otherwise provided by Le Herbe are based upon records, tests, or experience that Le Herbe believes to be reliable, but the accuracy completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any Le Herbe or third party intellectual property rights is granted or implied with this information.

## PRODUCT SELECTION AND USE

Many factors beyond Le Herbe's control and uniquely within user's knowledge and control can affect the use and performance of a Le Herbe product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a safety assessment and reviewing all applicable regulations and standards. Failure to properly evaluate, select, and use a Le Herbe product, may result in intoxication, sickness and/or injury to person(s).

## WARRANTY, LIMITED REMEDY, AND DISCLAIMER

Unless a different warranty is specifically stated on the applicable Le Herbe product packaging or product literature (in which case such warranty governs), Le Herbe warrants that each Le Herbe product meets the applicable Le Herbe specification at the time Le Herbe ships the product. Le Herbe makes no other warranties or conditions, express or implied, including, but not limited to, any implied warranty or condition of merchantability, fitness for a particular purpose, or arising out of a course of dealing, custom, or usage of trade. If a Le Herbe product does not conform to this warranty, then the sole and exclusive remedy is, at Le Herbe's option, replacement of the Le Herbe product or refund of the purchase price.

## LIMITATION OF LIABILITY

Except for the limited remedy stated above, and except to the extent prohibited by law, Le Herbe will not be liable for any loss or damage arising from or related to the Le Herbe product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

## DISCLAIMER

**These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.** Le Herbe products are intended, labeled, and packaged for sale to customers for use in flavor / flavour applications. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not valid for such material used in combination with any other materials or process, not intended, labeled or packaged for sale to or use by consumers for inhalation (e.g., ignition vaping, smoking, dabing) or in the nose or nostril (e.g., snorting), and must be selected and used in compliance with applicable health and safety regulations and standards, as well as all product literature, user instructions, warnings, and limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of Le Herbe products may result in intoxication, sickness and/or injury. For help with product selection and use, consult with your physician, nutritionist, or other subject matter expert. For additional product information, visit [leherbe.com](http://leherbe.com).

## REVISION DATE

June 17, 2024



# LE HERBE